



NMMS7.E131457 Power Conversion Equipment Certified for Canada

[Page Bottom](#)

Power Conversion Equipment Certified for Canada

[See General Information for Power Conversion Equipment Certified for Canada](#)**YASKAWA AMERICA INC**

E131457

2121 NORMAN DR S
WAUKEGAN, IL 60085 USA**AC drives**, Model(s) CIMR-, followed by AC, A, L or T, followed by A thru Z, followed by 2, followed by 5P5, 011 or 022.

CIMR-, followed by AC, followed by A thru Z, followed by 4, followed by 5P5, 011, 022, 045, 075, 110, 160.

CIMR-E7Z411

Spec 2, followed by 5P5, 011 or 022, followed by blank, 0 or 1, followed by A thru Z, may be followed by A thru Z.

Spec 4, followed by 011, followed by 2, may be followed by AA thru ZZ.

Spec 4, followed by 5P5, 011, 022, 045, 075, 110, 160, followed by blank, 0 or 1, followed by A thru Z, may be followed by A thru Z.

Enclosed type drives, Model(s) CIMR-, followed by V, K***, L or T, followed by A thru Z, followed by B, 2 or 4, followed by A thru Z, (except for letter T) followed by 00, followed by 01 thru 12, 18, 20, 23, 30, 31, 38, 40, 56 or 69, followed by G or H, followed by A thru Z, followed by A thru Z.

Model CIMR, followed by A, followed by A through Z, followed by 4, followed by T, followed by 0XXX, where XXX is 250 through 675, followed by XXX, where XXX is AAA through ZZZ.

Input line filters, Model(s) CIMR, followed by A, E, H, L, P or T, followed by A through Z, followed by 2, 4 or 5 followed by A through Z (except for letter T), followed by XXXX, where XXXX is 0002 through 1200, followed by A, B, C, D or F, followed by XX, where XX is AA through ZZ

FS23945-15-07, FS23945-9-07, FS23946-15-07, FS23946-26-07

Open and enclosed type drives, Model(s) CIMR-, followed by J, followed by A thru Z, followed by B, 2 or 4, followed by A thru Z, followed by 00, followed by 01, 02, 03, 04, 05, 06, 07, 08, 09, 10, 11, 12, 18 or 20, followed by A thru Z, followed by A thru Z, followed by A thru Z.

CIMR-, followed by V, followed by A thru Z, followed by B, 2 or 4, followed by A thru Z, followed by 0000 thru 9999, followed by A thru Z, followed by A thru Z, followed by A thru Z.

FCL, followed by 2 or 4, followed by 0 thru 12 or 1 thru 19, followed by A thru Z, followed by A thru Z, may be followed by 0 or 1.

Model CIMR, followed by Z, followed by A through Z, followed by 2 or 4 followed by A through Z, followed by XXXX, where XXXX is 0005 through 0590, followed by A or F, followed by XX, where XX is AA through ZZ.

Spec 2 or 4, followed by 012 or 019, followed by 2, may be followed by AA thru ZZ, may be followed by 0 or 1.

Open type drives, Model(s) CIMR-, followed by SP7, followed by A, B or 2, followed by 0P1 or 0P2.

CIMR-VX2X0069XXX

Spec A, B or 2, followed by 0P1 or 0P2, followed by 0, may be followed by XX*.

Option card accessories (24V power supply unit/kit), Model(s) PS-A10L or PS-A10H, may be followed by blank or A through Z**Option card accessories (24V power supply unit/kit) for use in Yaskawa power conversion equipment V1000 Series drives**, Model(s) PS-V10M or PS-V10S, may be followed by A thru Z, may be followed by -1.**Option card accessories for use in Yaskawa power conversion equipment**, Model(s) 46S03587-0021, 46S03587-0121, 73600-C026X, AI-14B, AI-14B2, AI-14U, AI-A3, AI-V3/J, AO-08, AO-12, AO-12B2, AO-A3, CANIVF, CM-071, CM-A2/P, CM-B2/P, CP-916B, CP-916G, DI-08, DI-16, DI-16H2, DI-A3, DO-02C, DO-08, DO-A3, ETC61811X, ETC61812X, ETC61813X, ETC61814X, ETC61815X, ETC61841X, ETC61886X, ETC74012X, ETC74013X, ETC74014X, ETC74034X, ETC74035X, ETC74038X, ETC74048X, PG-A2, PG-B1, PG-B2, PG-B3, PG-D, PG-D2, PG-E3, PG-F3, PG-H2, PG-O2, PG-P2, PG-R2, PG-RT3, PG-V2, PG-W2, PG-X2, PG-X3, PO-36F, SI-232/J, SI-232/JC, SI-485/J, SI-B, SI-C, SI-C3, SI-C3/V, SI-F, SI-G, SI-K2, SI-K2/P, SI-L2, SI-M2, SI-M3/V, SI-N, SI-N3, SI-N3/V, SI-P, SI-P3, SI-P3/V, SI-R, SI-S, SI-S3, SI-S3/V, SI-T, SI-T3, SI-T3/V, SI-U, SP-A2

STAC, followed by A thru C, followed by 000 thru 999, may be followed by A thru Z, followed by 0 thru 9, may be followed by A thru Z, followed by 0 thru 9, may be followed by A thru Z, followed by 0 thru 9, may be followed by A thru Z, followed by 0 thru 9.

UTC000031, UTC000038, UTC000040, UTC000041 (SI-E), UTC000043, UTC000049, UTC000050, UTC000052, UTC000064, UTC000065, UTC000066, UTC000067, UTC000068, UTC000100, UTC000110, UTC000120, UTC000180, UTC00018X (CM012), UTC000190, UTC000220, UTC00022X, UTC00024X (PG-MM3/V), UTC00028X, UTC00031X (SI-EM3/V), UTC00033X, UTC00034X, UTC00035X, UTC00036X, UTC00037X (SI-EP3/V), UTC00040X, UTC00043X (SI-B3), UTC00045X

Option Card Accessory (480Vac Power Supply Unit/Kit), Model(s) PS-F10H, may be followed by /UL, may be followed by blank or A through Z.**Solid state variable speed drives, "Version B"**, Model(s) CIMR-, followed by -V7, followed by A thru Z, followed by A thru Z, followed by 2, followed by 0P1, 0P2, 0P4, 0P7, 1P5, 2P2, 3P7 or 4P0.

Solid state variable speed drives, Model(s) CIMR- followed by G3, followed by A thru Z, followed by 4, followed by 0P4, 0P7, 1P5, 2P2, 3P7, 5P5, 7P5, 011, 015, 018, 022, 030, 037, 045 or L45

CIMR-, followed by blank, F or J, followed by 04 or 08 thru 75, followed by A, followed by S4, followed by 0 or 1, followed by a blank or 020.

CIMR-, followed by E7, F7 or P7, followed by A thru Z, followed by 2, followed by 0P4, 0P7, 1P5, 2P2, 3P7, 5P5, 7P5, 011, 015, 018, 022, 030, 045, 055, 075, 090 or 110.

CIMR-, followed by E7, F7 or P7, followed by A thru Z, followed by 4, followed by 0P4, 0P7, 1P5, 2P2, 3P7, 5P5, 7P5, 9P0, 011, 015, 018, 022, 024, 030, 037, 045, 055, 075, 090, 110, 132, 160, 185, 220 or 300.

CIMR-, followed by G3, followed by A thru Z, followed by 2, followed by 030, 037, 045, 055 or 075, may be followed by 1.

CIMR-, followed by G3, followed by A thru Z, followed by 2, followed by 0P4, 0P7, 1P5, 2P2, 3P7, 5P5, 7P5, 011, 015, 018 or 022.

CIMR-, followed by G3, followed by A thru Z, followed by 4, followed by 055, 075, 110, 160, 185, 220, or 300, may be followed by 1

CIMR-, followed by G3, H3, VG or VH, followed by A thru Z, followed by 4, followed by L55, L75, LA1 or LA6.

CIMR-, followed by G5 or P5, followed by A thru Z, followed by 5, followed by 1P5, 2P2, 3P7, 5P5, 7P5, 011 or 015.

CIMR-, followed by G5, followed by A thru Z, followed by 5, followed by 018, 022, 030, 037, 045, 055, 075, 090, 110 or 160.

CIMR-, followed by G5, MC5 or P5, followed by A thru Z, followed by 2 or 4, followed by 018, 022, 030, 037, 045, 055, 075, 110 or 160.

CIMR-, followed by G5, MC5 or P5, followed by A thru Z, followed by 2 or 4, followed by 0P4, 0P7, 1P5, 2P2, 3P7, 4P0, 5P5, 7P5, 011 or 015.

CIMR-, followed by G7, followed by A thru Z, followed by 2, followed by 0P4, 0P7, 1P5, 2P2, 3P7, 5P5, 7P5, 011, 015, 018, 022, 030, 037, 045, 055, 075, 090 or 110.

CIMR-, followed by G7, followed by A thru Z, followed by 4, followed by 0P4, 0P7, 1P5, 2P2, 3P7, 4P0, 5P5, 7P5, 011, 015, 018, 022, 030, 037, 045, 055, 075, 090, 110, 132, 160, 185, 220 or 300.

CIMR-, followed by H3, followed by A thru Z, followed by 2, followed by 0P4, 0P7, 1P5, 2P2, 3P7, 5P5, 7P5, 011, 015, 018, 022, 030, 037, 045, 055 or 075, may be followed by 1.

CIMR-, followed by H3, followed by A thru Z, followed by 4, followed by 0P4, 0P7, 1P5, 2P2, 3P7, 5P5, 7P5, 011, 015, 018, 022, 030, 037, 045, 055, 075, 110, 160, 185, 220, 300 or L45, may be followed by 1.

CIMR-, followed by J7, followed by A thru Z, followed by A thru Z, followed by 2, followed by 0P1, 0P2, 0P4, 0P7, 1P5, 2P2, 3P7 or 4P0.

CIMR-, followed by J7, followed by A thru Z, followed by A thru Z, followed by 4, followed by 0P2, 0P4, 0P7, 1P5, 2P2, 3P0, 3P7 or 4P0.

CIMR-, followed by J7, followed by A thru Z, followed by A thru Z, followed by A, followed by 0P1 or 0P2.

CIMR-, followed by J7, followed by A thru Z, followed by A thru Z, followed by B, followed by 0P1, 0P2, 0P4, 0P7 or 1P5.

CIMR-, followed by K5, followed by A thru Z, followed by 2 or 4, followed by 0P4, 0P7, 1P5, 2P2, 3P7, 4P0, 5P5, 7P5, 011, 015, 018, 022, 030, 037, 045, 055, 075, 090, 110, 160, 185, 220 or 300.

CIMR-, followed by K7 or L7, followed by A thru Z, followed by 2, followed by 3P7, 5P5, 7P5, 011, 015, 018, 022, 030, 037, 045 or 055.

CIMR-, followed by K7 or L7, followed by A thru Z, followed by 4, followed by 3P7, 4P0, 5P5, 7P5, 011, 015, 018, 022, 030, 037, 045 or 055.

CIMR-, followed by M5, followed by A thru Z, followed by 2, followed by 3P7, 5P5, 7P5, 011, 015, 018, 022 or 030

CIMR-, followed by M5, followed by A thru Z, followed by 4, followed by 5P5, 7P5, 011, 015, 018 or 022, may be followed by 0, may be followed by XXXX*.

CIMR-, followed by MR5, followed by A thru Z, followed by 2, followed by 3P7, 5P5, 7P5, 011, 015, 018, 022 or 030.

CIMR-, followed by MR5, followed by A thru Z, followed by 4, followed by 5P5, 7P5, 011, 015, 018 or 022.

CIMR-, followed by PB, followed by A thru Z, followed by 2 or B, followed by 0P2, 0P4, 0P7, 1P5, 2P2 or 3P7, followed by T.

CIMR-, followed by PC, followed by A thru Z, followed by 2 or B, followed by 0P1, 0P2, 0P4, 0P7, 1P5, 2P0, 2P2 or 3P7, may be followed by 1.
(suitable for Type 1 and Type 4 environments)

CIMR-, followed by PC, followed by A thru Z, followed by 4, followed by 0P2, 0P4, 0P7, 1P5, 2P2 or 3P7, may be followed by 1.(suitable for Type 1 and Type 4 environments)

CIMR-, followed by SS, followed by A thru Z, followed by 2, followed by 0P4, 0P7, 1P5, 2P2, 3P7, 5P5, 7P5, 011, 015, 018, 022, 030, 037, 045, 055 or 075.

CIMR-, followed by SS, followed by A thru Z, followed by 4, followed by 0P4, 0P7, 1P5, 2P2, 3P7, 5P5, 7P5, 011, 015, 018, 022, 030, 037, 045, 055, 075, 110, 160, 185, 220 or 300.

CIMR-, followed by SS, followed by A thru Z, followed by 4, followed by 2P2, 3P7, 015, 22 or 55.

CIMR-, followed by V7, followed by A thru Z, followed by A thru Z, followed by 2, followed by 0P1, 0P2, 0P4, 0P7, 1P5, 2P2, 3P0 or 4P0.

CIMR-, followed by V7, followed by A thru Z, followed by A thru Z, followed by 2, followed by 0P1, 0P2, 0P4, 0P7, 1P5, 2P2, 3P7, 4P0, 5P5 or 7P5.

CIMR-, followed by V7, followed by A thru Z, followed by A thru Z, followed by 4, followed by 0P2, 0P4, 0P7, 1P5, 2P2, 3P0, 3P7 or 4P0.

CIMR-, followed by V7, followed by A thru Z, followed by A thru Z, followed by 4, followed by 0P2, 0P4, 0P7, 1P5, 2P2, 3P0, 4P0, 5P5 or 7P5.

CIMR-, followed by V7, followed by A thru Z, followed by A thru Z, followed by B, followed by 0P1, 0P2, 0P4, 0P7, 1P5 or 2P2.

CIMR-, followed by V7, followed by A thru Z, followed by A thru Z, followed by B, followed by 0P1, 0P2, 0P4, 0P7, 1P5, 2P2, 3P7, 4P0, 5P5 or 7P5.

CIMR-, followed by VG or VH, followed by A thru Z, followed by 2, followed by 0P4, 0P7, 2P2, 3P7, 5P5, 7P5, 011, 015, 022, 030, 037, 055 or 075, may be followed by 1.

CIMR-, followed by VG or VH, followed by A thru Z, followed by 4, followed by 0P7, 2P2, 3P7, 7P5, 011, 015, 022, 030, 037, 045, 055, 075, 110, 160, 220, 300 or L45, may be followed by 1.

CIMR-, followed by XC, followed by AA thru ZZ, followed by 2, followed by 0P1, 0P2, 0P4, 0P7 or 1P5, may be followed by 1.

CIMR-, followed by XC, followed by AA thru ZZ, followed by A, followed by OP2, OP4, OP7 or 1P5, may be followed by a X*, may be followed by a X*.

CIMR-, followed by XC, followed by AA thru ZZ, followed by A, followed by OP1, OP2, OP4 or OP7.

CIMR-, followed by XC, followed by AA thru ZZ, followed by B, followed by OP1, OP2, OP4, OP7 or 1P5, may be followed by 1.

CIMR-, followed by XG5, MC5 or P5, followed by A thru Z, followed by 4, followed by 185, 220 or 300.

Spec 2, followed by OP4, OP7, 1P5, 2P2, 3P7, 5P5, 7P5, 011, 015, 018, 022, 020, 037, 045, 055, 075, 090 or 110, followed by blank, 0, 1, 7, Q or V, followed by A thru Z, may be followed by A thru Z.

Spec 2, followed by OP4, OP7, 1P5, 2P2, 3P7, 5P5, 7P5, 011, 015, 018, 022, 030, 045, 055, 075, 090 or 110, followed by blank, 0, 1, Q or V, followed by A thru Z, may be followed by A thru Z.

Spec 2, followed by 3P7, 5P5, 7P5, 011, 015, 018, 022 or 030, followed by 0, may be followed by A thru Z, may be followed by XXXXXX*.

Spec 2, followed by 3P7, 5P5, 7P5, 011, 015, 018, 022, 030, 037, 045 or 055, followed by A thru Z, may be followed by A thru Z.

Spec 4, followed by OP4, OP7, 1P5, 2P2, 3P7, 4P0, 5P5, 7P5, 011, 015, 018, 022, 030, 037, 045, 055, 075, 090, 110, 132, 160, 185, 220 or 300, followed by blank, 0, 1, Q or V, followed by A thru Z, may be followed by A thru Z.

Spec 4, followed by OP4, OP7, 1P5, 2P2, 3P7, 4P0, 5P5, 7P5, 9P0, 011, 018, 022, 024, 030, 037, 045, 055, 075, 090, 110, 132, 160, 185, 220 or 300, followed by blank, 0, 1, 7, Q or V, followed by A thru Z, may be followed by A thru Z.

Spec 4, followed by 3P7, 4P0, 5P5, 7P5, 011, 015, 018, 022, 030, 037, 045 or 055, followed by blank, 0 or 1, followed by A thru Z, may be followed by A thru Z.

Spec 4, followed by 5P5, 7P5, 011, 015, 018 or 022, followed by 0, may be followed by A thru Z, may be followed by XXXXXX*.

Spec A, B, 2 or 4, followed by OP1, OP2, OP4, OP7, 1P5 or 4P0, followed by 0 or 1, may be followed by any ten combination of letters and numbers.

Spec B or 2, followed by OP1, OP2, OP4, OP7, 1P5, 2P2, 3P7 or 24P0, followed by 0 or 1, may be followed by AA thru ZZ.

Spec B, 2 or 4, followed by OP1, OP2, OP4, OP7, 1P5, 2P2, 3P0, 3P7, 4P0, 5P5 or 7P5, followed by 0, 1 or V, may be followed by any ten combination of letters and numbers.

Spec B, 2 or 4, followed by OP1, OP2, OP4, OP7, 1P5, 2P2, 3P0, 3P7 or 4P0, followed by 4, may be followed by AA thru ZZ.

* - Where X is 0 thru 9 or A thru Z.

Last Updated on 2012-01-12

[Questions?](#)

[Print this page](#)

[Notice of Disclaimer](#)

[Page Top](#)

© 2012 UL LLC

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from UL" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "© 2012 UL LLC".